



**Industrial
Floor Tiles**
COMMERCIAL & INDUSTRIAL

MAXIMISE

YOUR FLOOR'S POTENTIAL



MOTOLOCK HEAVY DUTY

COIN TOP, DIAMOND PLATE AND SKIN FINISH INTERLOCKING FLOOR TILES

MotoLock tiles create tough industrial floors capable of taking fork lift trucks and similar materials handling equipment.



MotoLock tiles create floors that are resistant to abrasion, impact and the penetration of liquids including oils, solvents, etc. and that withstand heavy traffic. MotoLock tiles will take the high compression loads found in workshops, warehouses, garages, stores and distribution centres while the neat design is suitable for retail, playroom, gym, garage, utility room or basement floors. Other applications include railway stations, airports, passenger terminals, power plants, hangars, fire stations etc

The tiles can be laid quickly and easily on any reasonably smooth and level concrete base creating ready-for-use, dust-free, anti-skid surfaces. No special preparation of the existing floor is required. The floor tiles are resistant to mechanical and chemical damage and tolerant of under-layer moisture. Using interlocking tiles makes a floor easy to repair and even portable if need be.



3 EASY WAYS TO ORDER

Call: **01329 841416** Email: **sales@industrial-floor-tiles.co.uk**

Online: **www.industrial-floor-tiles.co.uk**

Please call us for a free colour swatch or ask for one of our sample packs.

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. Please request samples before ordering. If you require a solid true colour, we would suggest the virgin material range.

"I recently bought a Mototile floor system for my motorcycle showroom and was delighted with the ease of installation. The area is an unusual shape and quite uneven in places, the flexibility of the tiles coped really well over the width and depth of the floor. We are now thinking of using them across our other businesses too"



COIN TOPS

DIAMOND TOPS

SKIN FINISH



	Tiles 495 x 495 x 7mm	Ramps 495 x 140 x 7mm	Tiles 495 x 495 x 7mm	Ramps 495 x 140 x 7mm	Tiles 495 x 495 x 7mm	Ramps 495 x 140 x 7mm
Virgin Range						
Black	GFTHDBLKCT	GFRHDBLKCT	GFTHDBLKDP	GFRHDBLKDP	GFTHDBLKSK	GFRHDBLKSK
Dark Grey	GFTHDDKGRYCT	GFRHDDKGRYCT	GFTHDDKGRYDP	GFRHDDKGRYDP	GFTHDDKGRYSK	GFRHDDKGRYSK
Light Grey	GFTHDLGRYCT	GFRHDLGRYCT	GFTHDLGRYDP	GFRHDLGRYDP	GFTHDLGRYSK	GFRHDLGRYSK
Virgin Coloured						
Blue	GFTHDBLUCT	GFRHDBLUCT	GFTHDBLUDP	GFRHDBLUDP	GFTHDBLUSK	GFRHDBLUSK
Yellow	GFTHDYELCT	GFRHDYELCT	GFTHDYELDP	GFRHDYELDP	GFTHDYELLSK	GFRHDYELLSK
Red	GFTHDREDCT	GFRHDREDCT	GFTHDREDDP	GFRHDREDDP	GFTHDREDSK	GFRHDREDSK
Green	GFTHDGRNCT	GFRHDGRNCT	GFTHDGRNDP	GFRHDGRNDP	GFTHDGRNSK	GFRHDGRNSK
Burgundy	GFTHDBURCT	GFRHDBURCT	GFTHDBURDP	GFRHDBURDP	GFTHDBURSK	GFRHDBURSK
Orange	GFTHDORCT	GFRHDORCT	GFTHDORGP	GFRHDORGP	GFTHDORCSK	GFRHDORCSK
Electric Blue	GFTHDELBUCT	GFRHDELBUCT	GFTHDEBLUDP	GFRHDEBLUDP	GFTHDEBLUSK	GFRHDEBLUSK
Light Green	GFTHDLGRNCT	GFRHDLGRNCT	GFTHDLGRNDP	GFRHDLGRNDP	GFTHDLGRNSK	GFRHDLGRNSK
Light Blue	GFTHDLBLUCT	GFRHDLBLUCT	GFTHDLBLUDP	GFRHDLBLUDP	GFTHDLBLUSK	GFRHDLBLUSK
Purple	GFTHDPURCT	GFRHDPURCT	GFTHDPURDP	GFRHDPURDP	GFTHDPURSK	GFRHDPURSK
Recycled Range						
Black	GFTHDBLKCTRCY	GFRHDBLKCTRCY	GFTHDBLKDPRCY	GFRHDBLKDPRCY	N/A	N/A
Grey	GFTHDGRYCTRCY	GFRHDGRYCTRCY	GFTHDGRYDPRCY	GFRHDGRYDPRCY	N/A	N/A

Other virgin colours subject to minimum order quantity. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.

Hardness: 92 Shore A (EN ISO 868) • Resistance to chemicals: Good - (EN 423 - petrol, diesel, 18% acetic acid, tartaric acid 250g/lh - imperceptible effect)
 Compressive strength: 520 kg/cm² (EN ISO 1545) • Resistance to abrasion: T (<0.1mm/100) (EN 660-2) • Deformation after static load: <0.1mm (EN 433)
 Dimensions of stability: <=0.20% (BS EN 434) • Colour fastness to artificial light: > 5 (without damage) (EN 20105) • Reaction to fire: difficult to ignite (DIN 4102)
 Non-slip properties: up to 0.75 dynamic coefficient of friction (EN ISO 13893)

MOTOMAT - RECYCLED

RECYCLED / VIRGIN PVC INTERLOCKING TILES

'Jigsaw' interlocking tiles, with a generous 12mm overall thickness - plus another 2mm for the tread pattern making them perfect for anti-fatigue flooring, noise and vibration control, thermal insulation and areas subject to standing water. For fork lift use we would recommend the Motolock range



COIN TOPS

DIAMOND TOPS



	Tiles 470 x 470 x 14mm	Ramps Female 470 x 60 x 14mm	Ramps Male 470 x 60 x 14mm	Tiles 470 x 470 x 14mm	Ramps Female 470 x 60 x 14mm	Ramps Male 470 x 60 x 14mm
Black Recycled	GFTCTBLKRCY	GFTCTBLKRAMPF	GFTCTBLKRAMPM	GFTDPBLKRCY	GFTDPBLKRAMPF	GFTDPBLKRAMPM
Yellow Virgin	GFTCTYELL	GFTCTYELRAMPF	GFTCTYELRAMPM	GFTDPYELL	GFTDPYELRAMPF	GFTDPYELRAMPM

Other Virgin colours are available on request.



3 EASY WAYS TO ORDER

Call: **01329 841416** Email: sales@industrial-floor-tiles.co.uk

Online: www.industrial-floor-tiles.co.uk

Please call us for a free colour swatch or ask for one of our sample packs.

AVAILABLE AS COIN TOP PATTERN OR DIAMOND PLATE CHEQUER-PLATE PATTERN MANUFACTURED IN BUDGET PRICED RECYCLED PVC OR VIRGIN MATERIAL.

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. As per the Motolock range, please request samples before ordering. Don't forget - you can use the skirting and inserts from the Mototile seamless range to add a bit of colour. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.

INFO-TILES & WAYFINDERS

DISPLAY IMPORTANT MESSAGES AND EMERGENCY LOGOS IN A PRIME POSITION

By adding print to our Industrial Floor Tiles you can easily transform your floor into key information points. Show customers the way to exclusive promotions, display off-limit areas, make staff aware of places of risk, or simply brand your floor with a logo for the perfect finishing touch for your business.



**CONTACT US TODAY AND GET A QUOTE FOR
ADDING PRINT AND MESSAGING TO YOUR FLOOR.**

Please note: recycled tiles and recycled ramps are manufactured from recycled materials and although offer a very cost-effective solution, the finish may vary from batch to batch. As per the Motolock range, please request samples before ordering. Don't forget - you can use the skirting and inserts from the Mototile seamless range to add a bit of colour. The swatches above are for illustrative purposes only and should not be used for accurate colour matching.



SHOPS



GYMS



SHOWROOMS



EXHIBITIONS



OFFICES



SUNROOMS



WAREHOUSES



HIGH TRAFFIC AREAS